L Number	Hits	Search Text	DB	Time stamp
1	1	09/753,128	USPAT; US-PGPUB;	2003/09/05 18:01
2	8	"6162234"	EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/09/05
	· ·	0102201	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	18:06
3	6	"5626590"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/05 20:26
4	3	5626590.URPN.	USPAT	2003/09/05 20:25
5	12013	suture and (clip\$4 or clamp\$4 or nut\$4 or restrain\$8 or retain\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 20:28
6	4173	suture with (clip\$4 or clamp\$4 or nut\$4 or restrain\$8 or retain\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 20:28
7	2609	suture with (clip\$4 or clamp\$4 or nut\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 20:29
8	38	suture with (clip\$4 or clamp\$4 or nut\$4) with (band or (expand\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/05 20:33
10	609	606/232.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/05 20:46
11	351	606/232.ccls. and (band or nut\$ (suture with (clip\$4 or clamp\$4 or nut\$4 or restrain\$8 or retain\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05
12	101	606/232.ccls. and (band or nut\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/05 20:49
13	8	(split adj nut) and suture	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/05 21:02
14	912	split adj nut	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/05 21:02
15	422	(split adj nut) and (band\$4 or elastic\$4 or retain\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/05 21:03

Search History 9/6/03 12:05:52 AM Page 1

159				T =====	10000/65/55
1414 ((split\$4 or half\$4) with bolt) and (band\$4 or elastic\$4) (split\$4 with bolt) and (band\$4 or elastic\$4) (split\$4 with bolt) and (band\$4 or elastic\$4) (split\$4 with bolt) and (band\$4 or elastic\$4) (split\$4 with bolt) and (band\$4 or elastic\$4) (split\$4 with bolt) and (band\$4 or elastic\$4) (split\$4 with bolt) and (band\$4 or elastic\$4) (split\$4 with bolt) and (band\$4 or elastic\$4) (split\$4 with bolt) and (band\$4 or elastic\$4) (split\$4 with bolt) and (band\$4 or elastic\$4) (split\$4 with bolt) and (band\$4 or elastic\$4) (split\$4 with nut\$4) (split\$4 with nut\$4)	16	159	(split adj nut) and (band\$4 or elastic\$4)	USPAT;	2003/09/05
1414 ((split\$4 or half\$4) with bolt) and (band\$4 or elastic\$4)				b .	21:53
18					
1414				1	
(band\$4 or elastic\$4)	17	1414	((split\$4 or half\$4) with bolt) and		2003/09/05
18	* ′	1313		· ·	
18			(Dania): Of Character,	· ·	
18				DERWENT;	ļ
19				IBM_TDB	
19	18	602	(split\$4 with bolt) and (band\$4 or		2003/09/05
19			elastic\$4)	i	21:11
19					
129	<u> </u>				
elastic\$4) and (wire\$4 or suture\$4)	1.0	100	/7:444:		2003/00/05
23 346 encase\$4 with nut\$4 USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO, JPO; DERW	19	129			
23 346 encase\$4 with nut\$4 USPAT: US-POPUB; EPO; JPO; DERWENT; IBM TDB USPAT: US-POPUB; EPO; JPO; DERW			erastics4) and (wires4 or sucures4)		21.42
18M TDB USPAT: US-PGPUB; EPO: JPO: DERWENT; IBM TDB USPAT: US-					
23					
24 45 (encase\$4 with nut\$4) and (suture or US=PGPUB; EPO; JPO; DERWENT; IBM TDB US=R7; US=PGPUB; EPO; JPO; JPO; DERWENT; US=PGPUB; EPO; JPO; US=PGPUB;	23	346	encase\$4 with nut\$4		2003/09/05
24		3.3		· ·	
24	1				
24				DERWENT;	
Wire	1			-	
25 324 (band with nut) and (wire or suture) DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US	24	45		· ·	1 ' '
DERWENT; IBM TDB USPAT;			wire)		21:44
180	1				
25 324 (band with nut) and (wire or suture) USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; and groove\$4 UspĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; USPĀT; USPĀT; USPĀT; USPĀT; USPĀT; USPĀT; USPĀT; USP				· · · - · · ·	
26				—	2002/00/05
26	25	324	(band with nut) and (wire or suture)	1	i i
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPO; DERWENT; IBM TDB USPAT; USPAT; USPO; DERWENT; IBM TDB USPAT; USPAT; USPO; DERWENT; IBM TDB USPAT; USPO; DERWENT; IBM TDB USPAT; USPO; DERWENT; IBM TDB USPAT; USPAT; USPO; DERWENT; IBM TDB USPAT;					21:45
155 (band\$4 with nut) and (wire or suture) USPAT; USPEQUB; EPO; JPO; DERWENT; IBM TDB USPAT;					
26 155 (band\$4 with nut) and (wire or suture) USPĀT; USPĀT				_ ·	
and groove\$4 27 180 (band\$4 with nut) and (wire or suture) and (groove\$4 or ledge\$4 or indent\$7) 28 165 (band\$4 with nut) and (wire or suture) and (groove\$4 or ledge\$4) 29 468 (split adj nut) and (seal or secure or retain or hold) 30 87 (split adj nut) and (seal or secure or retain or hold) and (wire or suture) 29 2842 wire adj clamp 30 87 (wire adj (holder or retain)) and (bolt\$4 or nut\$4) with half 29 (band\$4 with nut) and (seal or secure or retain) and (bolt\$4 or nut\$4) with half 2003/09/05 21:45 2003/09/05 21:45 2003/09/05 21:46 2003/09/05 21:46 2003/09/05 21:53 2003/09/05 21:53 2003/09/05 21:53 2003/09/05 22:01 2003/09/05 22:01 2003/09/05 22:01 2003/09/05 22:01 2003/09/05 22:01	26	155	(band\$4 with nut) and (wire or suture)	<u> </u>	2003/09/05
27	20	1			1 ' '
180 (band\$4 with nut) and (wire or suture) 18M TDB 18PAT; USPAT;				EPO; JPO;	
180				DERWENT;]
and (groove\$4 or ledge\$4 or indent\$7) 28				IBM_TDB	
28 165 (band\$4 with nut) and (wire or suture)	27	180	` · · · · · · · · · · · · · · · · · ·		1 ' ' 1
DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT;			and (groove\$4 or ledge\$4 or indent\$7)	1	21:45
165					
28					
and (groove\$4 or ledge\$4) 468 (split adj nut) and (seal or secure or retain or hold) 87 (split adj nut) and (seal or secure or retain or hold) 87 (split adj nut) and (seal or secure or retain or hold) and (wire or suture) 30 87 (split adj nut) and (seal or secure or retain or hold) and (wire or suture) 32 2842 wire adj clamp 34 5 (wire adj (holder or retain)) and (bolt\$4 or nut\$4) with half 5 (wire adj (holder or retain)) and (bolt\$4 or nut\$4) with half 21:46 21:46 2003/09/05 21:53 2003/09/05 21:53 2003/09/05 21:53 2003/09/05 21:53 2003/09/05 22:01 2003/09/05 22:01 2003/09/05 22:01		1.55	(handed with much) and (with an an authors)		2002/09/05
29 468 (split adj nut) and (seal or secure or retain or hold) 30 87 (split adj nut) and (seal or secure or retain or hold) 30 87 (split adj nut) and (seal or secure or retain or hold) and (wire or suture) 32 2842 wire adj clamp 34 5 (wire adj (holder or retain)) and (bolt\$4 or nut\$4) with half 5 (wire adj (holder or retain)) and (bolt\$4 or nut\$4) with half EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	28	165	(Dana94 with nut) and (wire or suture)		
29 468 (split adj nut) and (seal or secure or retain or hold) 87 (split adj nut) and (seal or secure or retain or hold) 87 (split adj nut) and (seal or secure or retain or hold) and (wire or suture) 30 87 (split adj nut) and (seal or secure or retain or hold) and (wire or suture) 32 2842 wire adj clamp 34 5 (wire adj (holder or retain)) and (bolt\$4 or nut\$4) with half 5 (wire adj (holder or retain)) and (bolt\$4 or nut\$4) with half 2003/09/05 22:01 2003/09/05 22:01 2003/09/05 22:01			and (drooped or readed)		
18M_TDB 18M_					
29 468 (split adj nut) and (seal or secure or retain or hold) USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_					
retain or hold US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	29	468	(split adj nut) and (seal or secure or		2003/09/05
### Second Control of the control of					
30 87 (split adj nut) and (seal or secure or retain or hold) and (wire or suture) 32 2842 wire adj clamp 34 5 (wire adj (holder or retain)) and (bolt\$4 or nut\$4) with half 36				EPO; JPO;	
30 87 (split adj nut) and (seal or secure or retain or hold) and (wire or suture) 32 2842 wire adj clamp 34 5 (wire adj (holder or retain)) and (bolt\$4 or nut\$4) with half 36 (split adj nut) and (seal or secure or retain) and (bolt\$4 (bolt\$4 or nut\$4) with half 37 (split adj nut) and (seal or secure or USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
retain or hold) and (wire or suture) US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	30	87			
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US			retain or hold) and (wire or suture)	•	22:01
32 2842 wire adj clamp IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; US-PGPUB; EPO; JPO; DERWENT; USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB;					
32 2842 wire adj clamp USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; Or nut\$4) with half USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
34 5 (wire adj (holder or retain)) and (bolt\$4 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	22	2042	luire adi clamp		2003/09/05
EPO; JPO; DERWENT; IBM_TDB (wire adj (holder or retain)) and (bolt\$4 USPAT; US-PGPUB; EPO; JPO; DERWENT; Or nut\$4) with half EPO; JPO; DERWENT; 2003/09/05 22:04	32	2842	wire auj cramp		
34 5 (wire adj (holder or retain)) and (bolt\$4 USPAT; US-PGPUB; EPO; JPO; DERWENT;					
34 5 (wire adj (holder or retain)) and (bolt\$4 USPAT; US-PGPUB; EPO; JPO; DERWENT;					
5 (wire adj (holder or retain)) and (bolt\$4 USPAT; 2003/09/05 or nut\$4) with half US-PGPUB; EPO; JPO; DERWENT;					
or nut\$4) with half US-PGPUB; 22:04 EPO; JPO; DERWENT;	34	5	(wire adj (holder or retain)) and (bolt\$4		2003/09/05
EPO; JPO; DERWENT;		_		4	1
IBM TDB					
	L	<u></u>		IBM TDB	

				0000700705
35	11	(wire adj clip) and (bolt\$4 or nut\$4)	USPAT;	2003/09/05
		with half	US-PGPUB;	22:05
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
36	0	(wire adj bolt) and (bolt\$4 or nut\$4)	USPAT;	2003/09/05
		with half	US-PGPUB;	22:05
			EPO; JPO;	
	:		DERWENT;	
			IBM TDB	
37	7	(wire adj nut) and (bolt\$4 or nut\$4) with	USPAT;	2003/09/05
		half	US-PGPUB;	22:05
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	503	(aortic adj arch) and lumen and port	USPAT;	2003/09/05
			US-PGPUB;	08:49
			EPO; JPO;	l
			DERWENT;	
			IBM TDB	
_	27	(aortic adj arch) and lumen and (first	USPAT;	2003/09/05
		adj port) and (second adj port)	US-PGPUB;	09:39
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
1 -	118	(aortic adj arch) and (instrument\$4 with	USPAT;	2003/09/05
		(port\$4 or lumen\$4))	US-PGPUB;	17:16
1		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
			IBM TDB]

Search History 9/6/03 12:05:52 AM Page 3